



HighSight

water saving irrigation solution provider!




HighSight(taizhou) Plastic co.,ltd.



PVC BS thread pipes and fittings Series

PVC-U Pipes


Model: **HS-2900**



size(mm)	D(mm)	Z(mm)	L(mm)
1/2"	21.34	2.77	4
3/4"	26.67	2.87	4
1"	33.40	3.38	4
1-1/4"	42.16	3.56	4
1-1/2"	48.26	3.68	4
2"	60.32	4.2	4
2-1/2"	73.02	5.16	4
3"	88.90	5.49/5.7	4
4"	114.3	6.02/7.3	4

Female Elbow


Model: **HS-2901**



size(mm)	M	Z(mm)	L(mm)
1/2"	1/2"	17	28
3/4"	3/4"	19	32
1"	1"	22	38
1-1/4"	1-1/4"	26.5	46
1-1/2"	1-1/2"	26.5	50
2"	2"	31.5	61
2-1/2"	2-1/2"	32	74.5
3"	3"	36	85
4"	4"	40	99.5

Male Coupling


Model: **HS-2902**



size(mm)	M	Z(mm)	L(mm)
1/2"	1/2"	42	8
3/4"	3/4"	44	8
1"	1"	50	8
1-1/4"	1-1/4"	56	9
1-1/2"	1-1/2"	58	9
2"	2"	65	9
2-1/2"	2-1/2"	78	10
3"	3"	84	10
4"	4"	90	10

Female Tee


Model: **HS-2903**



size(mm)	L(mm)	H(mm)	Z(mm)	M
1/2"	84	42	8	1/2"
3/4"	88	44	8	3/4"
1"	100	50	8	1"
1-1/4"	112	56	9	1-1/4"
1-1/2"	116	58	9	1-1/2"
2"	130	65	9	2"
2-1/2"	158	78	10	2-1/2"
3"	168	84	10	3"
4"	180	90	10	4"

Female Reducing Tee


Model: **HS-2904**



size(mm)	L(mm)	H(mm)	Z(mm)	M
3/4"x1/2"	58	29	19	3/4"
1"x1/2"	68	33	22	1"
1"x3/4"	72	36	22	1"

Female Reducing Tee


Model: **HS-2906**



size(mm)	L(mm)	Z(mm)	M
3/4"x1/2"	39	22.5	3/4"
1"x1/2"	42	25.5	1"
1"x3/4"	42	25.5	1"

Female Coupling


Model: **HS-2905**



size(mm)	L(mm)	Z(mm)	M
1/2"	37	3	1/2"
3/4"	40	3	3/4"
1"	47	3	1"
1-1/4"	51.5	3.5	1-1/4"
1-1/2"	53.5	3.5	1-1/2"
2"	59.5	3.5	2"
2-1/2"	72	4	2-1/2"
3"	78	4	3"
4"	84	4	4"

Male & Female Elbow


Model: **HS-2913**



size(mm)	D(mm)	Z(mm)	L(mm)
1/2"	17	28	35
3/4"	19	32	37
1"	22	38	43
1-1/4"	26.5	46	51
1-1/2"	26.5	50	56
2"	31.5	61	66
2-1/2"	32	74.5	80
3"	36	85	92
4"	40	99.5	107

Male Plug


Model: **HS-2907**



size(mm)	L(mm)	Z(mm)	M
1/2"	27	17	1/2"
3/4"	30	19	3/4"
1"	35	22	1"
1-1/4"	38.5	26.5	1-1/4"
1-1/2"	39.5	26.5	1-1/2"
2"	46.5	31.5	2"

Female Elbow

Model: **HS-2910**




size(mm)	L(mm)	Z(mm)	M
1/2"	44	48	1/2"
3/4"	50	55	3/4"
1"	61	64	1"
1-1/4"	72	78	1-1/4"
1-1/2"	81	86	1-1/2"
2"	93	102	2"
2-1/2"	101	136	2-1/2"
3"	114	152	3"
4"	144	182	4"



PVC BS thread pipes and fittings Series

PVC-U Pipes


Model: **HS-2908**



size(mm)	M	L(mm)	Z(mm)
3/4"x1/2"	3/4"	8	26
1"x2"	1"	8	30
1"x3/4"	1"	8	30
1-1/4"x3/4"	1-1/4"	9	36
1-1/4"x1"	1-1/4"	9	36
1-1/2"x3/4"	1-1/2"	10	36
1-1/2"x1"	1-1/2"	10	37
1-1/2"x1-1/4"	1-1/2"	10	37
2"x1"	2"	11	43
2"x1-1/4"	2"	11	43
2"x1-1/2"	2"	11	43
2-1/2"x1-1/4"	2-1/2"	12	44
2-1/2"x1-1/2"	2-1/2"	12	44
2-1/2"x2"	2-1/2"	12	44
3"x1-1/2"	3"	13	49
3"x2"	3"	13	49
3"x2-1/2"	3"	13	49
4"x2-1/2"	4"	14	54
4"x3"	4"	14	54

Female Reducer


Model: **HS-2909**



size(mm)	L(mm)	Z(mm)	M
3/4"x1/2"	40	19	3/4"
1"x1/2"	45	22	1"
1"x3/4"	45	22	1"

Female Union Elbow

Model: **HS-2911**



size(mm)	L(mm)	L1(mm)	Z(mm)
1/2"	32	47	19
3/4"	38	55	22
1"	38	55	22

Female & Male Union Elbow

Model: **HS-2912**



size(mm)	L(mm)	L1(mm)	Z(mm)
1/2"	32	38	38
3/4"	58	65	65
1"	38	55	65

Elbow With Plate


Model: **HS-2914**



size(mm)	Z(mm)	L(mm)	M
1/2"	17	28	1/2"

Female & Male Adapter


Model: **HS-2917**



size(mm)	D(mm)	L(mm)	M
110	52.8	74.2	1"

Reduced Elbow


Model: **HS-2916**



size(mm)	Z(mm)	L(mm)	M	M1
3/4"x1/2"	19	31.0	3/4"	1/2"
1"x3/4"	22	35.4	1"	3/4"

Male Union


Model: **HS-2918**



size(mm)	Z(mm)	L(mm)	D(mm)	M
20x1/2"	21	60	64	1/2"
25x3/4"	21	62	70	3/4"
32x1"	21	64	80	1"
40x1-1/4"	26	68	86	1-1/4"
50x1-1/2"	29	73	94	1-1/2"
63x2"	35	79	103	2"

End Cap


Model: **HS-2919**



size(mm)	Z(mm)	L(mm)	M
1/2"	22	17	1/2"
3/4"	24	19	3/4"
1"	27	22	1"
1-1/4"	32	26.5	1-1/4"
1-1/2"	33	26.5	1-1/2"
2"	38	31.5	2"
2-1/2"	40	45	2-1/2"
3"	45	50	3"
4"	50	55	4"

Female And Male Union


Model: **HS-2915**



size(mm)	D(mm)	L(mm)	Z(mm)
1/2"	55	63	25
3/4"	64	78	26
1"	64	78	26
1-1/4"	78	83	26"
1-1/2"	186	88	29
2"	102	94	31
2-1/2"	136	109	43

Reducing Male Adapter

Model: **HS-2920**



size(mm)	Z(mm)	L(mm)	M
3/4"x1/2"	8	44	3/4"
1"x1/2"	8	47	1"
1"x3/4"	8	49	1"



PVC DIN Pressure Fittings Series

Reducer with copper threaded female

PN10



Model:HS-2928

Size: Φ (mm)

20x1/2" 25x1/2" 25x3/4" 32x1/2" 32x3/4"
32x1"

Coupling with threaded female

PN10/PN16



Model:HS-2929

Size: Φ (mm)

20x1/2" 25x1/2" 25x3/4" 32x1/2" 32x3/4"
32x1" 40x1-1/4"
50x1-1/2" 63x2" 75x2-1/2" 90x3" 110x4"

coupling with threaded male

PN10/PN16



Model:HS-2930

Size: Φ (mm)

20x1/2" 25x3/4" 32x1" 40x1-1/4"
50x1-1/2" 63x2" 75x2-1/2" 90x3" 110x4"

Coupling

PN10/PN16



Model:HS-2935

Size: Φ (mm)

20x20 25x25 32x32 40x40 50x50 63x63
75x75 90x90 110x110 125x125 140x140
160x160 200x200 225x225 250x250
315x315

Reducing coupling

PN10/PN16



Model:HS-2936

Size: Φ (mm)

25x20 32x20/25 40x20/25/32 50x25/32/40
63x25/32/40/50 75x32/40/50/63 90x40
90x50/63/75 110x50/63/75/90 125x110
140x125 160x90 160x110/125
200x110/125/160 225x200 250x110/160/200
315x110/160/200/250 400x160/200/250/315

90° Tee

PN10/PN16




Model:HS-2940

Size: Φ (mm)

PN10
20 25 32 40 50 63 75 90 110 125
140 160 200 225 250 315
PN16
20 25 32 40 50 63 75 90 110 140
160 225 280 315 355 400

Tee with brass threaded female

PN10



Model:HS-2938

Size: Φ (mm)

20x1/2" 25x1/2" 25x3/4" 32x1/2" 32x3/4"
32x1"

Tee with threaded female

PN10



Model:HS-2939

Size: Φ (mm)

20x1/2" 25x1/2" 25x3/4" 32x1/2" 32x3/4"
32x1"

Tee three-dimensional

PN10



Model:HS-2943

Size: Φ (mm)

20 25 32 40 50



PVC DIN Pressure Fittings Series

Four-Way

PN10



Model:HS-2944

Size: Φ (mm)

20 25 32 40 50

Elbow 90 with threaded female



Model:HS-2953

Size: Φ (mm)

20x1/2" 25x1/2" 25x3/4" 32x1/2" 32x3/4" 32x1"

Five Way

PN10



Model:HS-2948

Size: Φ (mm)

20 25 32 40 50

Elbow 90° with copper threaded female

PN10



Model:HS-2954

Size: Φ (mm)

20x1/2" 25x1/2" 25x3/4" 32x1/2" 32x3/4" 32x1"

Elbow 90°

PN10/PN16



Model:HS-2950

Size: Φ (mm)

20 25 32 40 50 63 75 90 110 125 140
160 200 225 250 315

Elbow 45°

PN10/PN16



Model:HS-2952

Size: Φ (mm)

20 25 32 40 50 63 75 90 110 125 140
160 200 225 250 315

Union



Model:HS-2970

Size: Φ (mm)

PN10

20 25 32 40 50 63 75 90 110

PN16

20 25 32 40 50 63

Straight Cross



Model:HS-2945

Size: Φ (mm)

PN10

20 25 32 40 50 63 75 90 110 160 200

PN16

20 25 32 40 50 63 75 90 110 140 160 225

Reducing Elbow

PN10



Model:HS-2955

Size: Φ (mm)

25x20 32x20 32x25 40x20 40x25 40x32 50x20
50x25 50x32 50x40 63x25 63x32 63x40 63x50
75x32 75x40 75x50 75x63 90x40 90x50 90x63 90x75 110x50



PVC DIN pressure Fittings Series

Tee Y type

PN10



Model:HS-2942

Size: Φ(mm)

20 25 32 40 50 63 75

Lateral Tee



Model:HS-2937

Size: Φ(mm)

PN10

20 25 32 40 50 63 75 90 110 160
160x110

PN16

50 63 75 90 110 140 160

PVC-U PIPES



Model:HS-2980

Size*Thickness:(mm)

PN10


20*1.8 25*1.8 32*2.0(PN12.5) 40*2.0 50*2.4
63*3.0 75*3.6 90*4.3 110*4.2 125*4.8
140*5.4 160*6.2 180*6.9 200*7.7 225*8.6
250*9.6 315*12.1 355*13.6 400*15.3

PN16

20*2.0 25*2.0 32*2.4 40*3.0 50*3.7 63*4.7
75*5.6 90*6.7 110*6.6 125*7.4 140*8.3
160*9.5 180*10.7 200*11.9 225*13.4
250*14.8 315*18.7 355*21.1 400*23.7

End Cap

PN10/PN16



Model:HS-2965

Size: Φ(mm)

20 25 32 40 50 63 75 90 110 125 140 160
200 225 250 315

Hose Connector

PN10/PN16



Model:HS-2960

Size: Φ(mm)

20x8 20x10 20x12 20x14 20x16 20x18
25x10 25x12 25x16 25x20 32x16 32x20
32x25 32x30

Reducing Cross



Model:HS-2946

Size: Φ(mm)

PN10

40x20 40x25 40x32 50x20 50x25 50x32
50x40 63x20 63x25 63x32 63x40 63x50
75x20 75x25 75x32 75x40 75x50 75x63
90x20 90x25 90x32 90x40 90x50 90x63 90x75
110x20 110x25 110x32 110x40 110x50
110x63 110x75 110x90 160x32 160x63
160x75 160x90 160x110

PN16

50x32 90x50 90x63 110x50 110x63
140x50 110x63 140x75 160x63 160x75
160x90 160x110

Reducing Ring

PN10/PN16



Model:HS-2975

Size: Φ(mm)

water supply

25x20 32x20 32x25 40x20 40x25 40x32
50x20 50x25 50x32 50x40 63x25 63x32
63x40 63x50 75x63 90x75 110x90

Industrial grade

25x20 32x25 40x25 40x32 50x20 50x32
50x40 63x20 63x25 63x32 63x40 63x50
75x25 75x32 75x50 75x63 90x32 90x40
90x50 90x63 90x75 110x50 110x63 110x75
110x90 125x110 140x110 140x125 160x63
160x75 160x90 160x110 160x140 200x160
200x180 225x160 225x200 225x225 280x225
280x250 315x280

90° reducing Tee

PN10/PN16



Model:HS-2941

Size: Φ(mm)

25x20 32x20 32x25 40x20 40x25 40x32
50x20 50x25 50x32 50x40 63x20
63x25 63x32 63x40 63x50 70x20 75x25
75x32 75x40 75x50 75x63 90x20
90x25 90x32 90x40 90x50 90x63 90x76



HighSight Plastic co.,ltd.

www.hsirrigation.com

Add whatsapp



Elaine

 **Whatsapp** +86 13857676628

 **Wechat** +86 15990650166

 elaine@chinahightsight.com

Add whatsapp



Breanna

 **Whatsapp** +86 13738551897

 **Wechat** +86 13738551897

 breanna@chinahightsight.com