



Fittings Series

► Fittings For Rain Hose/Main Hose



► Fittings For Discharge Hose



Aluminium alloy Coupling



Aluminium alloy Reducing



Irrigation PE Hose



Drip Tape With Emitter



HSR-1601

Materialc	PE	wall Thickness	0.16-0.5mm
Diameter	16mm	Drip Spacing	10-150cm
Wall Thickness	0.15-0.6mm	Flow Rate	2LH.2.5L/H, 3.0L/H4.0L/H
Working Pressure	50-100 Kpa/0.2mm	Roll Length	500-2000m per roll

Rain Hose With Holes



HSR-1606

Materialc	PE		
Size	N30mm/dia.19mm(3/4") ; N40mm/dia.:25(1") N50/dia.31.8(1-1/4") ; N53/dia.33.7; N60/dia.:38(1.5") N63/dia.:39.4 ; N80/dia.:50mm(2") ; N160/dia.100(4") N100mm/dia.:63mm(2.5") ; N120mm/dia.76(3")		
Wall Thickness	0.16mm;0.18mm;0.2mm;0.3mm;0.35mm;0.4mm		
HolePatten	oblique1-7 holes	aperture(mm)	0.4-0.9mm
Pressure	50-150Kpa	Class Interval	10-20cm

Drip Hose With Emitter



HSR-1600

Materialc	PE	wall Thickness	0.16-0.5mm
Diameter	16mm	Drip Spacing	10-150cm
Wall Thickness	0.15-0.6mm	Flow Rate	2LH.2.5L/H, 3.0L/H4.0L/H
Working Pressure	50-100 Kpa/0.2mm	Roll Length	500-2000m per roll

Black Main Hose



HSR-1611

Materialc	PE				
Size	1.5"	2"	2.5"	3"	4"
Folding Size(MM)	N60	N80	N100	N120	N160
Dia.:(MM)	38	50	63	76	100
Wall Thickness	0.8-3.0kgs				
Working Pressure	50-100Kpa/0.2mm				
Length	200m/Rolor 100m/Roll				
Weight(kg/m)	0.05-0.42kgs/M				



HighSight Plastic co.,ltd.

www.hirrigation.com

Add whatsapp



Elaine

 **Whatsapp** +86 13857676628

 **Wechat** +86 15990650166

 elaine@chinahightsight.com

Add whatsapp



Breanna

 **Whatsapp** +86 13738551897

 **Wechat** +86 13738551897

 breanna@chinahightsight.com